Burns (1984) 10, 454–460 *Printed in Great Britain*

Index

VOLUME 10 1983–84

Aaryoute S.: *see* El-Muhtaseb H.
Absorption, systemic, effect of some ointment bases on, of tobramycin from various wound surfaces of burned patients, 290
Abstracts, 71, 147, 225, 303, 381, 447
Acute suppurative perichondritis, treatment of, of the external ear by low dose X-ray irradiation, 140
Adaurkova M.: *see* Dolecek R.
Adherence, chemotaxis and spreading, relationship between thermal injury and neutrophil membrane functions, as measured by, 264
Akahane T. and Okishio R.: Lightning injury: Report of two cases, 45
Al-Baker A., El-Ekiabi S., Ghanem A. and Al-Ghoul A.: The Qatari method for treatment of burns: a review of 1500 cases, 355
Al-Ghoul A.: *see* Al-Baker A.
Anderson S.: *see* Wallner S.
Animal model, studies in: the haematopoietic response to burning, 236
Antharvedi A.: *see* Glasheen W. P.
Antia N. H.: *see* Jeyapaul J.
Aoyama H., Nishizaki A., Aoki Y., Izawa Y. and Okuda J.: The effect of some ointment bases on the systemic absorption of tobramycin from various wound surfaces of burned patients, 290
Arora S.: *see* Jeyapaul J.
Attinger E. O.: *see* Glasheen W. P.
Azmy A. A. F.: *see* Lockhart S. P.

Balogh D., Moncayo R. and Bauer M.: Hormonal dysregulations in severe burns, 257
Bariar L. M.: *see* Tripathi F. M.
Baruchin A. M., Rosenberg L., Mahler D., Flashkes Y. and Weiss J.: Burns caused by faulty water-heating systems (Waterloo scalds), 207
Bauer M.: *see* Balogh D.
Behavioural factors in burn mortality and length of stay in hospital, 409
Berry C. C., Patterson T. L., Wachtel T. L. and Frank H. A.: Behavioural factors in burn mortality and length of stay in hospital, 409
Bharadwaj R., Joshi B. N. and Phadke S. A.: Assessment of burn wound sepsis by swab, full thickness biopsy culture and blood culture—a comparative study, 124
Bhattacharya V., Singh K. P., Sinha J. K., Tripathi F. M. and Das J. M.: Macroradiographic study of post-burn contracture of limbs, 374
Bhattacharya V.: *see* Tripathi F. M.
Biobrane biosynthetic dressing, clinical experience with, in the treatment of partial thickness burns, 415
Biopsy culture and blood culture, full thickness, assessment of burn wound sepsis by swab—a comparative study, 124
Biopsy culture, quantitative burn wound, and surface swab culture, correlation of to burn wound sepsis, 217
Blood culture and biopsy culture, full thickness, assessment of burn wound sepsis by swab—a comparative study, 124
Blood gas studies in thermal burns, 13
Bone marrow aplasia after high voltage electrical injury, 184
Bone marrow megakaryocytes, ultrastructural changes of, in several types of injury, 282
Bonini G.: *see* Grisolia G. A.
Brown B.: *see* Eyles P.
Browne G.: *see* Eyles P.
Bruchelt G.: *see* Schmidt K.
Brudzynska-Charewicz S.: *see* Rudowski W.
Burn injuries in Jordan, mortality of, 439
Burn injury: sunlight and a single dose of methoxsalen, 420
Burn scars in infancy, the treatment of, injection therapy with triamicinolone hexacetonide in: result of 44 cases, 131
Burn survivors, studies of, methodological problems in, and their psychosocial prognosis, 427
Burn wound: its character, closure and complications, The William Gissane Lecture 1982, 1
Burn wounds, covering, synthetic materials for: Progress towards perfection. Part I. Short term dressing materials, 94
Burn wounds, covering, synthetic materials for: Progress towards perfection. Part II. Longer term substitutes for skin, 104

Burns (1984) 10, 454–460 *Printed in Great Britain*

Index

VOLUME 10 1983–84

Aaryoute S.: *see* El-Muhtaseb H.
Absorption, systemic, effect of some ointment bases on, of tobramycin from various wound surfaces of burned patients, 290
Abstracts, 71, 147, 225, 303, 381, 447
Acute suppurative perichondritis, treatment of, of the external ear by low dose X-ray irradiation, 140
Adaurkova M.: *see* Dolecek R.
Adherence, chemotaxis and spreading, relationship between thermal injury and neutrophil membrane functions, as measured by, 264
Akahane T. and Okishio R.: Lightning injury: Report of two cases, 45
Al-Baker A., El-Ekiabi S., Ghanem A. and Al-Ghoul A.: The Qatari method for treatment of burns: a review of 1500 cases, 355
Al-Ghoul A.: *see* Al-Baker A.
Anderson S.: *see* Wallner S.
Animal model, studies in: the haematopoietic response to burning, 236
Antharvedi A.: *see* Glasheen W. P.
Antia N. H.: *see* Jeyapaul J.
Aoyama H., Nishizaki A., Aoki Y., Izawa Y. and Okuda J.: The effect of some ointment bases on the systemic absorption of tobramycin from various wound surfaces of burned patients, 290
Arora S.: *see* Jeyapaul J.
Attinger E. O.: *see* Glasheen W. P.
Azmy A. A. F.: *see* Lockhart S. P.

Balogh D., Moncayo R. and Bauer M.: Hormonal dysregulations in severe burns, 257
Bariar L. M.: *see* Tripathi F. M.
Baruchin A. M., Rosenberg L., Mahler D., Flashkes Y. and Weiss J.: Burns caused by faulty water-heating systems (Waterloo scalds), 207
Bauer M.: *see* Balogh D.
Behavioural factors in burn mortality and length of stay in hospital, 409
Berry C. C., Patterson T. L., Wachtel T. L. and Frank H. A.: Behavioural factors in burn mortality and length of stay in hospital, 409
Bharadwaj R., Joshi B. N. and Phadke S. A.: Assessment of burn wound sepsis by swab, full thickness biopsy culture and blood culture—a comparative study, 124
Bhattacharya V., Singh K. P., Sinha J. K., Tripathi F. M. and Das J. M.: Macroradiographic study of post-burn contracture of limbs, 374
Bhattacharya V.: *see* Tripathi F. M.
Biobrane biosynthetic dressing, clinical experience with, in the treatment of partial thickness burns, 415
Biopsy culture and blood culture, full thickness, assessment of burn wound sepsis by swab—a comparative study, 124
Biopsy culture, quantitative burn wound, and surface swab culture, correlation of to burn wound sepsis, 217
Blood culture and biopsy culture, full thickness, assessment of burn wound sepsis by swab—a comparative study, 124
Blood gas studies in thermal burns, 13
Bone marrow aplasia after high voltage electrical injury, 184
Bone marrow megakaryocytes, ultrastructural changes of, in several types of injury, 282
Bonini G.: *see* Grisolia G. A.
Brown B.: *see* Eyles P.
Browne G.: *see* Eyles P.
Bruchelt G.: *see* Schmidt K.
Brudzynska-Charewicz S.: *see* Rudowski W.
Burn injuries in Jordan, mortality of, 439
Burn injury: sunlight and a single dose of methoxsalen, 420
Burn scars in infancy, the treatment of, injection therapy with triamicinolone hexacetonide in: result of 44 cases, 131
Burn survivors, studies of, methodological problems in, and their psychosocial prognosis, 427
Burn wound: its character, closure and complications, The William Gissane Lecture 1982, 1
Burn wounds, covering, synthetic materials for: Progress towards perfection. Part I. Short term dressing materials, 94
Burn wounds, covering, synthetic materials for: Progress towards perfection. Part II. Longer term substitutes for skin, 104

Burns, deep, extensive, the successful treatment of a patient with, and an open comminuted fracture of a lower extremity, 339
Byrne C.: *see* Eyles P.

Candida parapsilosis fungemia in burn patients: report of three cases, 203
Carroll W. J.: *see* Hansbrough J. F.
Cason J. S. (Late): *see* Lilly H. A.
Chang X. J., Yang C. C., Hsu W. S., Hsu W. T. and Shih T. S.: Changes of serum amino acids in severely burned patients, 109
Chao L.: *see* Yang Z. N.
Chemiluminescence, measured by phagocytic activity of granulocytes and alveolar macrophages after burn injury, 79
Chemotaxis, adherence and spreading, relationship between thermal injury and neutrophil membrane functions, 264
Cheng J. C. Y., Evans J. H., Leung K. S., Clark J. A., Choy T. T. C. and Leung P. C.: Pressure therapy in the treatment of post-burn hypertrophic scar—A critical look into its usefulness and fallacies by pressure monitoring, 154
Cheng J. C. Y.: *see* Leung K. S.
Cheng T. M., Lin Y., Gu D. Q., Luo C. K. and Zheng H. E.: Ultrastructural changes of bone marrow megakaryocytes in several types of injury, 282
Cheng X. X.: *see* Wang X. W.
Child abuse by thermal injury—a retrospective survey, 344
Childhood burns, description and classification of, 231
Childhood, epidemiology of burns in, 368
Choy T. T. C.: *see* Cheng J. C. Y.
Chromic acid burns, role of surgery in: our experience with two patients, 378
Circus fire disaster, 1981, in Bangalore, India: Causes, management of burn patients and possible presentation, 17
CK-MB, non-myocardial source of, in a patient with electrical burn injury, 372
Clark J. A.: *see* Cheng J. C. Y.
Clark J. A.: *see* Leung K. S.
Clemmensen I.: *see* Eriksen H. O.
Clinical psychologist, team work model in a burn unit with the integration of, 210
Coat burn wound dressing, 197
Complement receptor and Fc integrity of polymorphonuclear (PMN) cells following thermal injury, 387
Contents of *Injury*, 386, 453
Crochina M. A.: *see* Kuzin M. I.

Dabbs R.: *see* Eyles P.
Danti D. A.: *see* Grisolia G. A.
Das J. M.: *see* Bhattacharya V.
Das R. A. P.: 1981 Circus fire disaster in Bangalore, India: Causes, management of burn patients and possible presentation, 17
Davies J. W. L.: Synthetic materials for covering burn wounds: Progress towards perfection. Part I. Short term dressing materials, 94
Davies J. W. L.: Synthetic materials for covering burn wounds: Progress towards perfection. Part II. Longer term substitutes for skin, 104
DeClement F. A.: *see* May S. R.
Deep burns, extensive, the successful treatment of a patient with, and an open comminuted fracture of a lower extremity, 339
Deitch E. A.: The relationship between thermal injury and neutrophil membrane functions as measured by chemotaxis, adherence and spreading, 264
Delirium in burn patients isolated in a plenum laminar air flow ventilation unit, 331
Dermabrasion, late, technique of, for deep dermal burns, 349
Dolecek R., Jezek M., Adaurkova M., Kubis M., Sagnar J., Doleckova D., Kurkova J. and Zavada M.: Endorphin releasers: a new possible approach to the treatment of pain after burns—a preliminary report, 41
Doleckova D.: *see* Dolecek R.
Dominic W. J.: *see* Hansbrough J. F.
Dressing, Biobrane biosynthetic, clinical experience with, in the treatment of partial thickness burns, 415

Earley M.: *see* Laitung J. K. G.
Early vascular grafting to prevent upper extremity necrosis after electrical burns: II. Experience with wound infection management, 179
Ebberhoj J.: Y to V instead of Z to N, 121
Editorial, 153
Edlich R. F.: *see* Glasheen W. P.
Ehleben C. M.: *see* May S. R.
Electrical burn injury, non-myocardial source of CK-MB in a patient with, 372
Electrical burns of the mouth, treatment of, 49
Electrical burns, severe, verdoglobinuria phenomenon in, 188
Electrical injury, high voltage, bone marrow aplasia after, 184
El-Ekiabi S.: *see* Al-Baker A.
El-Muhtaseb H., Aaryoute S. and Ragheb S. A.: Burn injuries in Jordan: a study of 338 cases, 116
El-Muhtaseb H.: *see* Ragheb S. A.
Emergency medical service referral system, evaluation of, for burn patients, 323
Endorphin releasers: a new possible approach to the treatment of pain after burns—a preliminary report, 41
Epidemiology of burns in childhood, 368
Eriksen H. O., Kalaja E., Jensen B. A. and Clemmensen I.: Plasma fibronectin concentrations in patients with severe burn injury, 422
Eriksson E.: *see* Nylander G.
Eschar, burn, clinical evaluation of extensive excision of, in the presence of septicaemia—analysis of 32 cases, 200

Euthanasia and dysthanasia in burns, problem of, 61
Evans J. H.: *see* Cheng J. C. Y.
Experimental burn wounds, depth of, India ink injection technique to assess, 405
Eyles P., Browne G., Byrne C., Brown B., Pennock M., Truscott D. and Dabbs R.: Methodological problems in studies of burn survivors and their psychosocial prognosis, 427

Fairclough J.: *see* Green A. R.
Fc and complement receptor integrity of polymorphonuclear (PMN) cells following thermal injury, 387
Fibrin glue, application of to burns—its haemostatic and skin transplant fixation effects in the excised wound, 396
Fibronectin concentrations, plasma, in patients with severe burn injury, 422
Filipenko J. D.: *see* Nanji A. A.
Flashkes Y.: *see* Baruchin A. M.
Floro S.: *see* Gilboa D.
Fox C. L. jun.: *see* Modak S.
Fox P.: *see* Modak S.
Frank H. A.: *see* Berry C. C.
Free transplantation of sub-axillary lateral thoracodorsal flap in burn surgery, 164
Friedlaender J.: *see* Modak S.
Fujii C.: *see* Ihara N.
Fukuda A.: *see* Ihara N.

Gai S. I.: *see* Wang X. W.
Galactosaemia and major burns—a case report, 135
Ghanem A.: *see* Al-Baker A.
Gilboa D., Shafir R., Tsur H. and Floro S.: A team work model in a burn unit with the integration of a clinical psychologist, 210
Glasheen W. P., Attinger E. O., Antharvedi A., Ruffin W. Jr, Haynes B. W. and Edlich R. F.: Evaluation of an emergency medical service referral system for burn patients, 323
Govrin-Yehudain J., Moscona A. R. and Hirshowitz B.: Treatment of acute suppurative perichondritis of the external ear by low dose X-ray irradiation, 140
Granulation tissue formation and wound healing rate, effect of topical hyperalimentation on, of experimental deep second degree burns in guinea-pigs, 252
Green A. R., Fairclough J. and Sykes P. J.: Epidemiology of burns in childhood, 368
Grishina I. A.: *see* Kuzin M. I.
Grisolia G. A., Danti D. A., Santoro S., Panozzo G., Bonini G. and Pampaloni A.: Injection therapy with triamicinolone hexacetonide in the treatment of burn scars in infancy: results of 44 cases, 131
Gu D. Q.: *see* Cheng T. M.
Gu X. M., Shih T. S., Yang C. C. and Hsu W. S.: Changes in lymphocyte response to phytohaemagglutinin and serum immunosuppressive activity after thermal injury, 86

Haematopoietic response to burning: studies in an animal model, 236
Haemostatic and skin transplant fixation effects in the excised wound—application of fibrin glue to burns, 396
Hansbrough J. F., Zapata-Sirvent R., Carroll W. J., Dominic W. J., Wang X. W. and Wakimoto A.: Clinical experience with Biobrane biosynthetic dressing in the treatment of partial thickness burns, 415
Harranaka T.: *see* Ihara N.
Haynes B. W.: *see* Glasheen W. P.
Healing of burns, effect of a protein-free haemodialysate on tissue respiration and, 363
Heggers J. P.: *see* Kaufman T.
High tension electrical burns of upper arms treated by segmental excision of necrosed humerus. An introduction of a new surgical method, 271
Hilbert L., Peters W. J. and Tepperman P. S.: Temporomandibular joint destruction after a burn, 214
Hilton J. G.: Effects of sodium nitroprusside on thermal trauma depressed cardiac output in the anaesthetized dog, 318
Hilton J. G.: Effects of verapamil on thermal trauma depressed cardiac output in the anaesthetized dog, 313
Hirshowitz B.: *see* Govrin-Yehudain J.
Holder I. A.: *see* Law E. J.
Holmes J. D. and Rayner C. R. W.: The technique of late dermabrasion for deep dermal burns, 349
Hormonal dysregulations in severe burns, 257
Hsu W. S.: *see* Chang X. J.
Hsu W. S.: *see* Gu X. M.
Hsu W. T.: *see* Chang X. J.
Hurwitz D. J.: *see* Kaufman T.
Hurwitz D. J.: *see* Levin M.
Hyperalimentation, topical, effect of, on wound healing rate and granulation tissue formation of experimental deep second degree burns in guinea-pigs, 252
Hyperbaric oxygen, effects of, on oedema formation after a scald burn, 193
Hypertrophic scar, post-burn, pressure therapy in the treatment of—A critical look into its usefulness and fallacies by pressure monitoring, 154

Ihara N., Suzuki K., Tanaka H., Nakamura Y., Tanabe J., Fukuda A., Fujii C., Kohama A., Hamanaka T. and Tani T.: Application of fibrin glue to burns—its haemostatic and skin transplant fixation effects in the excised wound, 396
Immunoprophylactic and immunotherapy of burn infection, actual problems of, 34
Immunosuppressive activity, serum and phytohaemagglutinin, lymphocyte response to, changes in, after thermal injury, 86
India ink injection technique to assess the depth of experimental burn wounds, 405

Infancy, burn scars in, the treatment of, injection therapy with triamicinolone hexacetonide in: result of 44 cases, 131
Infection, trial of a laminar air-flow enclosure for the control of, in a burns operating theatre, 309
Infections, burn wound, control of, by pefloxacin and its silver derivative, 170

Jackson D. MacG.: The William Gissane Lecture 1982. The burn wound: its character, closure and complications, 1
Jensen B. A.: *see* Eriksen H. O.
Jeyapaul J., Mehta L. N., Arora S. and Antia N. H.: Fc and complement receptor integrity of polymorphonuclear (PMN) cells following thermal injury, 387
Jezek M.: *see* Dolecek R.
Jordan, burn injuries in: a study of 338 cases, 116
Jordan, mortality of burn injuries in, 439
Joshi B. N.: *see* Bharadwaj R.

Kalaja E.: *see* Eriksen H. O.
Kaufman T., Hurwitz D. J. and Heggers J. P.: The India ink injection to assess the depth of experimental burn wounds, 405
Kaufman T., Levin M. and Hurwitz D. J.: The effect of topical hyperalimentation on wound healing rate and granulation tissue formation of experimental deep second degree burns in guinea-pigs, 252
Kaufman T.: *see* Levin M.
Keswani R. K.: *see* Tahlan R. N.
Kistler D.: *see* Schmidt K.
Klucinski W.: *see* Rudowski W.
Kohama A.: *see* Ihara N.
Konigova R.: *see* Pondelicek I.
Kopec J.: *see* Rudowski W.
Koslowski L.: *see* Schmidt K.
Kubis M.: *see* Dolecek R.
Kumar P.: Child abuse by thermal injury—a retrospective survey, 344
Kumar P.: Galactosaemia and major burn—a case report, 135
Kurkova J.: *see* Dolecek R.
Kuzin M. I., Sologub V. K., Olker I. I., Stanislavsky E. S., Grishina I. A., Panova Y., Pobedina V. G., Crochina M. A. and Zarabina E. K.: Actual problems of immunoprophylactic and immunotherapy of burn infection, 34

Laitung J. K. and Mercer D. M.: Manganese absorption through a burn, 145
Laitung J. K. G. and Earley M.: The role of surgery in chromic acid burns: our experience with two patients, 378
Laminar air flow ventilation unit, plenum, delirium in burn patients isolated in, 331
Laminar air-flow enclosure, trial of, for the control of infection in a burns operating theatre, 309
Langley J.: Description and classification of childhood burns, 231
Law E. J., Holder I. A. and MacMillan B. G.: *Candida parapsilosis* fungemia in burn patients: report of three cases, 203
Leonard Colebrook (1883–1967), 92
Letter to the Editor, 224, 444
Leung K. S., Cheng J. C. Y., Ma G. F. Y., Clark J. A. and Leung P. C.: Complications of pressure therapy for post-burn hypertrophic scars—biomechanical analysis based on five patients, 434
Leung K. S.: *see* Cheng J. C. Y.
Leung P. C.: *see* Cheng J. C. Y.
Leung P. C.: *see* Leung K. S.
Levin M., Kaufman T. and Hurwitz D. J.: The coat burn wound dressing, 197
Levin M.: *see* Kaufman T.
Lightning injury: Report of two cases, 45
Lilly H. A., Lowbury E. J. L. and the late Cason J. S.: Trial of a laminar air-flow enclosure for the control of infection in a burns operating theatre, 309
Lin H. C.: *see* Wang X. W.
Lin Y.: *see* Cheng T. M.
Liu H. C.: *see* Wang X. W.
Liu Y. L. and Yuan K. J.: Clinical characteristics and operative treatment of postburn stress ulcers, 30
Lockhart S. P., Rushworth A., Azmy A. A. F. and Raine P. A. M.: Topical silver sulphadiazine: side effects and urinary excretion, 9
Lowbury E. J. L.: *see* Lilly H. A.
Lu C. S.: *see* Wang X. W.
Luo C. K.: *see* Cheng T. M.
Lymphocyte response, changes in, to phytohaemagglutinin and serum immunosuppressive activity after thermal injury, 86

Ma G. F. Y.: *see* Leung K. S.
MacMillan B. G.: *see* Law E. J.
MacMillan B. G.: *see* Stern P. J.
Macroradiographic study of post-burn contracture of limbs, 374
Mahler D.: *see* Baruchin A. M.
Manganese absorption through a burn, 145
May S. R., Ehleben C. M. and DeClement F. A.: Delirium in burn patients isolated in a plenum laminar air flow ventilation unit, 331
Mehta L. N.: *see* Jeyapaul J.
Mercer D. M.: *see* Laitung J. K.
Metacarpal lengthening, reconstruction of the burned thumb by, 127
Methodological problems in studies of burn survivors and their psychosocial prognosis, 427
Methoxsalen, sunlight and a single dose of: burn injury, 420
Microcirculation in hypertrophic burn scars, 64
Miglani O. P.: *see* Tahlan R. N.

Modak S., Stanford J., Friedlaender J., Fox P. and Fox C. L. jun.: Control of burn wound infections by pefloxacin and its silver derivative, 170
Moncayo R.: *see* Balogh D.
Moscona A. R.: *see* Govrin-Yehudain J.
Murphy J.: *see* Wallner S.

Nakamura Y.: *see* Ihara N.
Nanji A. A. and Filipenko J. D.: Non-myocardial source of CK-MB in a patient with electrical burn injury, 372
Nasilowski W.: *see* Rudowski W.
Neutrophil membrane functions and thermal injury, relationship between, as measured by chemotaxis, adherence and spreading, 264
Nie Q. D.: *see* Wang X. W.
Nordstrom H.: *see* Nylander G.
Nylander G., Nordstrom H. and Eriksson E.: Effects of hyperbaric oxygen on oedema formation after a scald burn, 193

O'Neill T. J.: *see* Smith R. W.
Obituary, 77
Oedema formation after a scald burn, effects of hyperbaric oxygen on, 193
Okishio R.: *see* Akahane T.
Olker I. I.: *see* Kuzin M. I.
Operating theatre, burns, trial of a laminar air-flow enclosure for the control of infection in, 309

Page R. E., Robertson G. A. and Pettigrew N. M.: Microcirculation in hypertrophic burn scars, 64
Pampaloni A.: *see* Grisolia G. A.
Pandey K.: *see* Tripathi F. M.
Panova Y.: *see* Kuzin M. I.
Panozza G.: *see* Grisolia G. A.
Partial thickness burns, treatment of, clinical experience with Biobrane biosynthetic dressing in the, 415
Patterson T. L.: *see* Berry C. C.
Paul P. S.: *see* Tripathi F. M.
Pefloxacin and its silver derivative, control of burn wound infections by, 170
Pennock M.: *see* Eyles P.
Peters W. J.: *see* Hilbert L.
Peterson V.: *see* Wallner S.
Pettigrew N. M.: *see* Page R. E.
Phadke S. A.: *see* Bharadwaj R.
Phagocytic activity of granulocytes and alveolar macrophages after burn injury measured by chemiluminescence, 79
Phytohaemagglutinin and serum immunosuppressive activity, lymphocyte response to, changes in, after thermal injury, 86
de la Plaza R., Quetglas A. and Rodriguez E.: Treatment of electrical burns of the mouth, 49
Pobedina V. G.: *see* Kuzin M. I.
Polymorphonuclear (PMN) cells, Fc and complement receptor integrity of, following thermal injury, 387
Pondelicek I. and Konigova R.: The problem of euthanasia and dysthanasia in burns, 61
Postburn stress ulcers, clinical characteristics and operative treatment of, 30
Post-burn contracture of limbs, macroradiographic study of, 374
Post-burn hypertrophic scars, complications of pressure therapy for—biomechanical analysis based on five patients, 434
Pressure therapy in the treatment of post-burn hypertrophic scar—A critical look into its usefulness and fallacies by pressure monitoring, 154
Pressure therapy, complications of, for post-burn hypertrophic scars—biomechanical analysis based on five patients, 434
Protein-free haemodialysate, effect of, on tissue respiration and healing of burns, 363
Psychosocial prognosis, methodological problems in studies of burn survivors and their, 427

Qaryoute S.: *see* Ragheb S. A.
Qatari method for treatment of burns: a review of 1500 cases, 355
Quetglas A.: *see* de la Plaza R.

Ragheb S. A.: *see* El-Muhtaseb H.
Ragheb S. A., Qaryoute S. and El-Muhtaseb H.: Mortality of burn injuries in Jordan, 439
Raine P. A. M.: *see* Lockhart S. P.
Rayner C. R. W.: *see* Holmes J. D.
Recent References, 73, 150, 227, 305, 383, 449
Reviews
A Manual of Central Venous Catheterization and Parenteral Nutrition (J. L. Peters), 230
Chronic Problem Wounds (eds. R. Rudolph and J. M. Noe), 230
Comprehensive Approaches to the Burned Person (eds. N. R. Benstein and M. C. Robson), 385
Traumatic Injury. Infection and other Immunologic Sequelae (ed. J. L. Ninnemann), 304
Robertson G. A.: *see* Page R. E.
Rodriguez E.: *see* de la Plaza R.
Rosenberg L.: *see* Baruchin A. M.
Rudowski W., Klucinski W., Kopec J., Sitarska E., Brudzynska-Charewicz S., Nasilowski W. and Rusiniak L.: Effect of a protein-free haemodialysate on tissue respiration and healing of burns, 363
Ruffin W. Jr.: *see* Glasheen W. P.
Rushworth A.: *see* Lockhart S. P.
Rusiniak L.: *see* Rudowski W.

Sagnar J.: *see* Dolecek R.
Saini S.: *see* Tahlan R. N.

Sang H. H.: *see* Wang X. W.
Santoro S.: *see* Grisolia G. A.
Sawada Y. and Doi K.: Chemical burn from sulphuric acid—a case report, 300
Schmidt K., Bruchelt G., Kistler D. and Koslowski L.: Phagocytic activity of granulocytes and alveolar macrophages after burn injury measured by chemiluminescence, 79
Sepsis, burn wound, assessment of, by swab, full thickness biopsy culture and blood culture—a comparative study, 124
Sepsis, burn wound, correlation of quantitative burn wound biopsy culture and surface swab culture to, 217
Septicaemia, presence of, clinical evaluation of extensive excision of burn eschar in—analysis of 32 cases, 200
Serum amino acids, changes of, in severely burned patients, 109
Severe burn injury, plasma fibronectin concentrations in patients with, 422
Shafir R.: *see* Gilboa D.
Shih H. R.: *see* Yang Z. N.
Shih T. S.: *see* Chang X. J.
Shih T. S.: *see* Gu X. M.
Shih T. S.: *see* Yang Z. N.
Silver derivative, pefloxacin and its, control of burn wound infections by, 170
Silver sulphadiazine, topical: side effects and urinary excretion, 9
Singh K. P.: *see* Bhattacharya V.
Sinha J. K.: *see* Bhattacharya V.
Sinha J. K.: *see* Tripathi F. M.
Sitarska E.: *see* Rudowski W.
Smith R. W., O'Neill T. J. and Hammond J. E.: Burn injury: sunlight and a single dose of methoxsalen, 420
Sodium nitroprusside, effects of, on thermal trauma depressed cardiac output in the anaesthetized dog, 318
Sologub V. K.: *see* Kuzin M. I.
Spreading, adherence and chemotaxis, relationship between thermal injury and neutrophil membrane functions as measured by, 264
Stanford J.: *see* Modak S.
Stanislavsky E. S.: *see* Kuzin M. I.
Stay in hospital, length of, behavioural factors in burn mortality and, 409
Stern P. J. and MacMillan B. G.: Reconstruction of the burned thumb by metacarpal lengthening, 127
Su H.: *see* Wang X. W.
Sub-axillary lateral thoraco-dorsal flap in burn surgery, free transplantation of, 164
Sulphuric acid, chemical burn from—a case report, 300
Sunlight and a single dose of methoxsalen: burn injury, 420
Suzuki K.: *see* Ihara N.
Swab culture, surface, correlation of quantitative burn wound biopsy culture and, to burn wound sepsis, 217
Sykes P. J.: *see* Green A. R.
Synthetic materials for covering burn wounds: Progress towards perfection. Part I. Short term dressing materials, 94
Synthetic materials for covering burn wounds: Progress towards perfection. Part II. Longer term substitutes for skin, 104
Szabo K. and Ver P.: Bone marrow aplasia after high voltage electrical injury, 184

Tahlan R. N., Keswani R. K., Saini S. and Miglani O. P.: Correlation of quantitative burn wound biopsy culture and surface swab culture to burn wound sepsis, 217
Tanabe J.: *see* Ihara N.
Tanaka H.: *see* Ihara N.
Tani T.: *see* Ihara N.
Temporomandibular joint destruction after a burn, 214
Tepperman P. S.: *see* Hilbert L.
Thermal injury and neutrophil membrane functions, relationship between, as measured by chemotaxis, adherence and spreading, 264
Thermal trauma depressed cardiac output, effects of sodium nitroprusside on, in the anaesthetized dog, 318
Thermal trauma depressed cardiac output, effects of verapamil on, in the anaesthetized dog, 313
Thumb, burned, reconstruction of, by metacarpal lengthening, 127
Tobramycin, systemic absorption of, effect of some ointment bases on, from various wound surfaces of burned patients, 290
Transplant fixation, skin and haemostatic, effects in the excised wound—application of fibrin glue to burns, 396
Treatment, successful, of a patient with extensive deep burns and an open comminuted fracture of a lower extremity, 339
Triamicinolone hexacetonide, injection therapy with, in the treatment of burn scars in infancy: results of 44 cases, 131
Tripathi F. M., Pandey K., Paul P. S., Sinha J. K., Bhattacharya V. and Bariar L. M.: Blood gas studies in thermal burns, 13
Tripathi F. M.: *see* Bhattacharya V.
Truscott D.: *see* Eyles P.
Tsur H.: *see* Gilboa D.
Tu D. K.: *see* Wang X. W.

Vautrin R.: *see* Wallner S.
Ver P.: *see* Szabo K.
Verapamil, effects of, on thermal trauma depressed cardiac output in the anaesthetized dog, 313
Verdoglobinuria phenomenon in severe electrical burns, 188

Wachtel T. L.: *see* Berry C. C.
Wakimoto A.: *see* Hansbrough J. F.
Wallner S., Vautrin R., Murphy J., Anderson S. and Peterson V.: The haematopoietic response to burning: studies in an animal model, 236
Wang N. Z.: *see* Wang X. W.
Wang X. W., Liu H. C., Sang H. H., Gai S. I. and Cheng X. X.: Early vascular grafting to prevent upper extremity necrosis after electrical burns: II. Experience with wound infection management, 179
Wang X. W., Lu C. S., Wang N. Z., Lin H. C., Su H., Wei J. N. and Zoh W. Z.: High tension of electrical burns of upper arms treated by segmental excision of necrosed humerus. An introduction of a new surgical method, 271
Wang X. W., Lu C. S., Zhang Z. M., Wong C. Y., Tu D. K. and Zapata-Sirvent R. L. Verdoglobinuria phenomenon in severe electrical burns, 188
Wang X. W., Zhang Z., Nie Q. D. and Zapata-Sirvent R.: The successful treatment of a patient with extensive deep burns and an open comminuted fracture of a lower extremity, 339
Wang X. W.: *see* Hansbrough J. F.
Water-heating systems, faulty, burns caused by (Waterloo scalds), 207
Wei J. N.: *see* Wang X. W.
Weiss J.: *see* Baruchin A. M.
William Gissane Lecture 1982. The burn wound: its character, closure and complications, 1
Wong C. Y.: *see* Wang X. W.
Wound healing rate, effect of topical hyperalimentation on, and granulation tissue formation of experimental deep second degree burns in guinea-pigs, 252
Wound infection management, experience with. Early vascular grafting to prevent upper extremity necrosis after electrical burns: II., 179

X-ray irradiation, low dose, treatment of acute suppurative perichondritis of the external ear by, 140

Y to V instead of Z to N, 121
Yang C. C.: *see* Chang X. J.
Yang C. C.: *see* Gu X. M.
Yang Z. N., Shih H. R., Chao L. and Shih T. S.: Free transplantation of sub-axillary lateral thoraco-dorsal flap in burn surgery, 164
Yuan K. J.: *see* Liu Y. L.

Zapata-Sirvent R.: *see* Hansbrough J. F.
Zapata-Sirvent R.: *see* Wang X. W.
Zarabina E. K.: *see* Kuzin M. I.
Zavada M.: *see* Dolecek R.
Zhang Z.: *see* Wang X. W.
Zhang Z. M.: *see* Wang X. W.
Zheng H. E.: *see* Cheng T. M.
Zhou Y. P.: Clinical evaluation of extensive excision of burn eschar in the presence of septicaemia—analysis of 32 cases, 200
Zoh W. Z.: *see* Wang X. W.